

notificaciones

3:35 Notificaciones

sistemas de mensajería:

- cisco_spark
- flowdock
- hipchat
- irc
- jabber
- mattermost : tipo **slack** pero de código abierto
- mqt : mensajería IoT
- nexmo : SMS
- pushbullet : móviles
- pushover : móviles
- rocketchat
- sendgrid
- slack
- sns : Simple Notification Service Amazon
- telegram
- twilio

hipchat

https://docs.ansible.com/ansible/latest/modules/hipchat_module.html#hipchat-module

- requeridos
 - token
 - msg
 - room
- opcional
 - api
 - color
 - from
 - msg_format = { text | html }
 - notify = yes / no
 - validate_certs = YES / no

```
---
- hosts: localhost
  connection: localhost
  vars:
    - notificar: "hipchat"
  tasks:
    - hipchat:
        api: https://api.hipchat.com/v2/
        token: "..."
        room: destinatario
        msg: "Tarea finalizada"
        when: notificar == "hipchat"
    - mail:
```

```

    subject: "Tarea finalizada"
    delegate_to: localhost
    when: notificar == "mail"
- pip: name=pushbullet.py
    when: notificar == "pushbullet"

```

mail

https://docs.ansible.com/ansible/latest/modules/mail_module.html#mail-module

- requerido
 - subject
- opcional
 - host
 - port
 - user
 - password
 - to
 - body
 - cc
 - bcc
 - secure = { always | never | try | starttls }

```

---
- hosts: localhost
  connection: localhost
  vars:
    - notificar: "mail"
  tasks:
    - mail:
        subject: "Tarea finalizada"
        host: servidor.correo
        port: 25
        to: alberto@correo
        delegate_to: localhost
        when: notificar == "mail"

```

pushbullet

https://docs.ansible.com/ansible/latest/modules/pushbullet_module.html#pushbullet-module

- requerido
 - api_key
 - title
- opcional
 - body
 - channel
 - device
 - push_type

```

---
- hosts: localhost
  connection: localhost
  vars:

```

```

- notificar: "pushbullet"
tasks:
- name: instalar pushbullet.py
  pip: name=pushbullet.py state=latest
  when: notificar == "pushbullet"
- name: enviar notificación
  pushbullet:
    api_key: <clave>
    device: <dispositivo>
    title: "Notificación Ansible"
    when: notificar == "pushbullet"

```

pushover

https://docs.ansible.com/ansible/latest/modules/pushover_module.html#pushover-module

- requeridos
 - app_token
 - user_key
 - msg
- opcional
 - pri = prioridad

rocketchat

https://docs.ansible.com/ansible/latest/modules/rocketchat_module.html#rocketchat-module

- requeridos:
 - token
 - domain
- opcional
 - mdg
 - channel
 - username
 - color = { normal | good | warning | danger }
 - protocol = { https | http }
 - validate_certs = true /false

slack

https://docs.ansible.com/ansible/latest/modules/slack_module.html#slack-module

- requerido
 - token
- opcional
 - msg
 - channel = #canal
 - username
 - color = { normal | good | warning | danger }
 - validate_certs = true / false

From:

<https://matebcn.eu/> - **miguel angel torres egea**

Permanent link:

<https://matebcn.eu/info:cursos:udemy:ansible:modulos:notificaciones>

Last update: **25/09/2018 11:00**

