

primeros pasos

<note important> A la hora de hacer un buen seguimiento de control de cambios, los arreglos de texto o composición (poner negritas, corregir un error tipográfico, arreglar una lista que no sale bien) tendrían que marcarse como **Minor Chages** antes de guardar. </note>

Aplicación de namespaces y TAGS

En el caso de que sea requerido crear una sub-página de esta sección se han de aplicar los siguientes criterios: **namespace** (crear nueva página):

```
[[namespace1:namespace2:<nombre sub-página>|nombre de la sub-página]]
```

tag:

```
{{tag>tag1 tag2}}
```

Sin tabla de contenidos

para evitar que aparezca un resumen en la zona superior derecha de los temas que se tratan en la página, poner en cualquier lado:

```
~~NOTOC~~
```

upgrades

1. hacer una copia de seguridad del directorio (ojo, dokuwiki no usa BDD, es todo sobre fichero de texto):
`\\eurocity\es\eurocity.es\www\root\wiki`
2. descargar la actualización pertinente
3. copiar en el directorio, sobrescribiendo

URL de interés

[Proceso de Instalación](#) [Proceso de Upgrade](#)

quitar mensaje de alerta una vez aplicado el "parche" o actualización

[Origen](#)

By default DokuWiki checks a special URL for messages once a day. This message system is used to notify administrators of DokuWiki installations about new releases and security warnings.

When the ACL is enabled , messages are displayed only to superusers. If ACL is disabled, all users can see the message.

The feature needs to contact `'update.dokuwiki.org'` on Port 80 - make sure your firewall allows this. If you don't want this feature, you can disable it with the `updatecheck` option in your config manager.

Each message has a unique ID shown in square brackets. Only messages which have a higher ID than the one configured in `'conf/msg'` will be shown. When you upgrade to the release announced in the message, the `'conf/msg'` file will be upgraded as well, suppressing the message. If you don't want to upgrade to an announced release you can simply increase the number in `'conf/msg'`.

When upgrading your installation, it might happen that DokuWiki continues to show the update message, even though the number in `'conf/msg'` was increased by the upgrade. This is because DokuWiki caches already fetched messages for a day and will only refetch if the last modified timestamp of `'conf/msg'` is higher than the one of the cache file. To stop the outdated update message from showing you can simply wait a day, `touch(//touch//` is a UNIX command to change a file's date and time, the so-called "timestamp")) the `'conf/msg'` or delete the `'data/cache/messages.txt'` cache file.

From:

<https://matebcn.eu/> - miguel angel torres egea

Permanent link:

https://matebcn.eu/wiki:primeros_pasos

Last update: **24/10/2011 15:31**

